



Marc Dos S 130






By
David Abad

Architectural
Lighting

Collections

Description

A collection of LED lamps composed of suspension (S) and wall (W) versions, made of aluminium and with an opal polycarbonate diffuser. They emit direct (1L) or indirect (1L) light, or both (2L). Available in various finishes: matte grey, satin white, satin black, or oak laminate. A version featuring two "on" settings and a dimmer version are also available. Other measurements, finishes and an emergency kit are optional.

Technical Description				Packaging	
Degree of Protection		Regulation	1-10V	Net Weight per Item	--
Class		Light type	LED	Box Sizes	155 x 16 x 10 cm - 24 m3
Adjustable		Light source included	No	Gross Weight	9.00 Kg
Casambi		Energy classification	-		
Certifications					

Finishes

SHADE



Black



Natural Oak



White



Grey

Collection



Marc Dos S



Marc Dos W

Codes

Luminaire

Light Source

841350DU	MARC DOS S130 1L LED DIM GREY USA	LED 20.5W 3536lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841351DU	MARC DOS S130 1L LED DIM WHITE USA	LED 20.5W 3536lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841352DU	MARC DOS S130 1L LED DIM BLACK USA	LED 20.5W 3536lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841353DU	MARC DOS S130 1L LED DIM OAK USA	LED 20.5W 3536lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841355DU	MARC DOS S130 2L LED DIM GREY USA	LED 2 x 20.5W 7072lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841356DU	MARC DOS S130 2L LED DIM WHITE USA	LED 2 x 20.5W 7072lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841357DU	MARC DOS S130 2L LED DIM BLACK USA	LED 2 x 20.5W 7072lm 450mA 3000K CRI>=90 110-277V DIM 1-10V
841358DU	MARC DOS S130 2L LED DIM OAK USA	LED 2 x 20.5W 7072lm 450mA 3000K CRI>=90 110-277V DIM 1-10V

DOWNLOADS



Marc_Dos_S_Assembly_USA.pdf

